

BEST AVAILABLE COPY

3/9

Network IF Unit


105

User Informatior Storing Unit

Registration Information Transmitting Unit

~101a

Oblon, Spivak, et al. 703-413-3000 Docket # 294558US2X PCT Sheet 4 of 9



BEST AVAILABLE COPY

Address (Priority 5)

4

Address (Priority 4

Address (Priority 3)

Address (Priority 2)

Address (Priority 1)

Password

User ID

E

Null

070-xxxx-

03-xxxx-

Destination

Destination

Destination

Destination

Destination

Destination Priority 1) Address X. X. X X.X.X.X *** user-a 050-xxxx-

Address (Priority 4)

Address (Priority 3),

CF

(Priority 2)

Address

Destination

Destination

Destination

x3.x3.x3.x3

x2.x2.x2.x2

x1.x1.x1.x1


X.

BEST AVAILABLE CUP

Assigned Telephone


Number

FIG



BEST AVAILABLE COPY

FIG.7



福納理土事統制

Oblon, Spivak, et al. 703-413-3000 Docket # 294558US2X PCT SheFIG.8 **START** Place Mobile Communication Terminal On The Battery Charger S101 Start Charging S102 Receive Call From Another S103 Terminal Through Radio Communication Base Through Radio Communication Base Station Station Or Self-Support Base Station Device? S104 Connect Radio Communication Base Station And Mobile Communication Terminal Through The Relay Server Through Self-Support Base Station Device -S105 Disconnect Communication Pathway Through Radio Establish IP Phone Through Radio Communication Base Station Communication Base Station And Establish IP Phone Through Self-Support Base Station Device -S106 S107 -Start The Transmission And Reception Of Moving Pictures By PHS Or LAN S108 Display Moving Pictures During S109 Communication Start Video Phone Conversation S110 **END** BEST AVAILABLE COPY

Oblon, Spivak, et al. 703-413-3000 · Docket # 294558US2X PCT START Place Mobile Communication S201 Terminal On The Battery Charger Start Charging S202 Call Another Termina S203 Through Radio Communication Base Station Or Self-Through Radio Communication Base Station Support Base Station S204 Device? Connect Radio Communication Base Station And Mobile Communication Terminal Through The Relay Server Through Self-Support Base Station Device -S205 **Disconnect Communication** Pathway Through Radio Communication Base Station And Establish IP Phone Through Self-Establish IP Phone Through Radio Communication Base Station Support Base Station Device - S206 S207 Start The Transmission And Reception Of Moving Pictures By S208 PHS Or LAN Display Moving Pictures During S209 Communication Start Video Phone Conversation S210 BEST AVAILABLE COPY END